

3M™ Sun Control Window Film





Affinity 15

Technical Data

Product Benefits

- Reduce air conditioning costs.
- Stay cooler by reducing excessive heat in warmer months.
- Reduces glare and eye discomfort.
- Extend the life and vibrancy in the fabric of furniture and carpets.
- Reduces injury risk from flying glass.

Product Performance & Technical Data

| Affinity 15 |  | |  | |  | |  | |
|----------------------------------|---|-------------|---|-------------|---|-------------|---|-------------|
| | Single Pane | | Tinted | | Double Pane | | Double tinted | |
| Film | 1/4" Clear | Affinity 15 | 1/4" tint | Affinity 15 | Dual 1/4" Clear | Affinity 15 | Dual 1/4" tint | Affinity 15 |
| Solar Heat Gain Coefficient | 0.82 | 0.21 | 0.63 | 0.27 | 0.70 | 0.32 | 0.51 | 0.27 |
| Visible Light Transmitted | 89% | 9% | 53% | 5% | 79% | 8% | 47% | 5% |
| Visible Light Reflected Interior | 9% | 25% | 6% | 25% | 15% | 26% | 13% | 25% |
| Visible Light Reflected Exterior | 8% | 58% | 6% | 24% | 15% | 57% | 8% | 23% |
| U Value | 1.03 | 1.00 | 1.03 | 1.00 | 0.47 | 0.47 | 0.47 | 0.47 |
| UV Block | 38% | 99% | NA | 99% | NA | 99% | NA | 99% |
| Total Solar Energy Rejected | 19% | 79% | 37% | 73% | 30% | 68% | 49% | 73% |
| Glare Reduction | NA | 90% | NA | 91% | NA | 90% | NA | 89% |
| Heat Loss Reduction | NA | 2% | NA | 2% | NA | 1% | NA | 1% |
| Solar Heat Reduction | NA | 74% | NA | 57% | NA | 54% | NA | 47% |

Important:

The information provided in this report is believed to be reliable; however, due to the wide variety of intervening factors, 3M does not warrant that the results will necessarily be obtained. All details concerning product specifications and terms of sale are available from 3M.



Renewable Energy Division
 St. Paul, MN 55144-1000
 1-866-499-8857
www.3M.com/windowfilm

3M is a trademark of 3M.
 © 3M 2008. All rights reserved.
 04/08 DMR #